

ICON

by **CRANE**



P R E M I U M



COFFEE

M A C H I N E S

CRANE MERCHANDISING SYSTEMS



ICON
by **CRANE**

DYNAMIC DESIGN SERVING BEST-IN-CLASS DRINKS

Captivate interest immediately with the touch user interface and stylish design of ICON. Robustly engineered with state-of-the-art technology, ICON delivers each drink consistently with stellar taste, aroma, colour and appearance and will bring consumers back for more.


- ☛ Specialty coffees made with real espresso, freshly ground from beans
- ☛ Leaf tea freshly brewed every time
- ☛ Crane quality design and function
- ☛ Customisable top graphic and metal surround



Intuitive
User Interface



Barista
Quality Coffee



21"
Optional HD Display



82%
Recyclable

FEATURES

& SPECIFICATIONS

FEATURES

User Interface	Direct touch buttons
Screen Size	5" landscape HD colour display
Screen Dimensions	106mm x 64mm landscape
Screen Resolution	800 x 480 pixels
Screen Performance	24 bit full colour TFT display
Video Supported	Yes
Optional 21" Full HD Screen	Yes
Screen Input	2x USB & 1x HDMI
Screen Resolution	1920 x 1080 pixels
Screen Content Supported	Video & Images
Brewing System Coffee	CoEx (Coffee & Espresso) Capacity - from 6.5 to 9.5 gram
Brewing System Tea	Crane Oltre brewer
Mixing System	Crane mixing system
Cup Drop Unit	Crane cup drop unit Plastic, paper, single, dual walled cups
Cup Capacity	up to 800
Cup Diameter	70mm, 73mm, 80mm
Cup Size	7, 9, 12 oz 150, 180, 200, 300 ml
USB Connectivity	3 x USB2.0
EVA/DTS communication module	via DEX port
LED Lit Vend Area	Yes
Jug Facility	Yes
Cup Sensor	Surevend cup sensors Fitted as standard on all models
Energy-Saving mode	Programmable energy saving mode
My Code	Yes
Free Vend	Yes
Payment Systems	up to 3
Coin/Notes/Cashless	Compatible with the leading systems
Vend Time (bean to cup)	33 seconds (based on a 120ml serving)
Vend Time (fresh brew)	30 seconds (based on a 120ml serving)
Vend Time (soluble coffee)	14 seconds (based on a 120ml serving)
Waste Bucket Capacity - dry	24 litres
Waste Bucket Capacity - liquid	9 litres
Electronic Temperature Control	Included as standard
Electronic Water Level Control	Included as standard

SPECIFICATIONS

Height	1830mm
Depth	790mm
Width	700mm
Weight	193kg
Door Open Dimensions	Width 1370mm door at 180° Depth 1450mm door at 90°
MBD Protocol	Included as standard
EXE Protocol	Executive protocol kit available as a cost option
Power Supply Voltage	220 - 240V
Power Supply Frequency	50/60 Hz
Energy Consumption	Instant & FB models: 125 wh/h Espresso model: 146 wh/h
Installed Power	2.27kW
Water Main Pressure	200 Kpa (2 bar) - 600 Kpa (6 bar)
Stopcock	15 mm BSP from rising main
Filtration	Compatible with the leading systems

INGREDIENT CAPACITIES (kg)

Beans	3.5
Ground coffee	1.5
Leaf tea	1.7
Instant coffee	1
Sugar	3.4
Milk	2.5
Cappuccino milk	2.2/4.7
Chocolate	2.7/5.8
Soup	Variable

All dimensions and weights shown are approximate and are for guidance only.




CANISTER LAYOUTS AND DRINK MENUS

FROM BEANS


INSTANT

DRINKS MENU	1 Single Freshbrew Tea	2 Espresso + Freshbrew Tea (Instant Coffee)	3 Espresso + Freshbrew Tea (Soup)
Black Coffee		● X	● ●
White Coffee			● ●
Black Americano		●	● ●
White Americano			● ●
Cappuccino		●	● ●
Latte		●	● ●
Flat White		●	● ●
Mocha		●	● ●
Macchiato			● ● X
Espresso		●	● ●
Espresso with Milk			● ● X
Double Espresso		● X	● ●
Freshbrew Tea	●	●	●
Freshbrew Tea with Milk	● X X		● X X
Black Coffee	● ●	● ● X X	
White Coffee	● ●		
Black Americano	● ●	● ●	
White Americano	● ●		
Cappuccino	● ●	● ●	
Latte	● ●	● ●	
Flat White	● ●	● ●	
Mocha	● ●	● ●	
Macchiato	● ● X		
Espresso	● ●		
Espresso with Milk	● ● X		
Double Espresso	● ●		
Soup	●		●
Hot Chocolate	●	●	●
Hot Water	●	●	●
Cold Water	●	●	●
Cold Drink 1	●	●	●
Cold Drink 2	●	●	●


1



2



3



● Decaff selection from ground coffee available X Not available with cold water X Not available with cold water & syrups

CRANE MERCHANDISING SYSTEMS

Pipsmore Park, Bumpers Farm Industrial Estate, Chippenham, Wiltshire SN14 6NQ, UK
t: +44 (0) 1249 444 807 sales@cranems.co.uk www.cranems.co.uk

PR16875000 rev. NEW BROCHURE ICON ENGLISH